

To,

Subject: Sealed Quotation for **Canon Image RUNNER 2002N** for 2 Nos

Quotations are invited for **procurement of Canon Image RUNNER 2002N** for the office of **PAG (A&E), Karnataka, Bangalore**

The quotation may be sent in a **SEALED ENVELOPE** so as to reach the undersigned on or before **4 PM of 17 December 2015**. The Sealed quotation super scribed as 'Quotations for supply of Canon Printer'.

Requirement :-

1. Canon Image RUNNER 2002N

Description	Quantity
Canon Image RUNNER 2002N With DUPLEX printing (A4 & A3)	2 nos
Specifications : Please refer the Annexure attached	

The quotation should invariable indicate the following details:

- The rate of taxes and duties.
- The net amount of the product
- Warranty period, accessories covered/ not covered in detail.
- The terms of payment.
- The rate should be valid for a period of 180 days from the date of quote
- Liquidated Damages: Any unacceptable delay in completion of the work shall be liable for liquidated damages at 2% of the contract price per week subject to maximum of 4 weeks thereafter this office shall have the option to cancel the purchase order and get the work completed from any other source.

As per the instructions of Ministry of Communication and IT preference will be given for domestically manufactured notified electronic products

This office reserves the right to reject all or any of the offers received without assigning any reason.

For details visit: <http://agkar.cag.gov.in/tender.asp>

The sealed quotation should be superscribed as below and addressed to:

Shri. Chandra Mohan

**Sr. AO (OM)
OFFICE OF THE PRINCIPAL
ACCOUNTANT GENERAL (A&E),
KARNATAKA, MAIN BUILDING, PARK
HOUSE ROAD, BANGALORE – 560001.**

Yours faithfully,

-sd-

SR. ACCOUNTS OFFICER (OM)

ANNEXURE FOR SPECIFICATION

Specifications for imageRUNNER 2002N

Print / Copy / Scan		
Type	B / W Laser Multifunctional (Reader / Printer Console)	
Maximum Original Size	A3	
Fixing System	On-demand Fusing	
Copy Speed	A4	20ppm
	A3	10ppm
First Copy Time	7.9secs	
Warm-Up Time	From Power On	13secs
	From Sleep Mode	2.9secs (The time it takes from recovery sleep to the start key is enabled)
Print Description Language	UFR II Lite	
OS compatibility	Windows 8.1 / 8 / 7 / Vista / XP / 2000, Windows Server 2012 / Server 2008 / Server 2003, Mac OS X 10.5.8 or later	
Resolution	Scan	300 x 300dpi
	Copy	600 x 600dpi
	Print	600 x 600dpi
Pull Scan (MF Toolbox / Scangear)	B / W & Color	
Push Scan (MF Toolbox)	B / W & Color	
Scan Features	TWAIN, WIA compatible	
Supported File Format (Scan)	PDF / Searchable PDF / Compact PDF, BMP, JPEG, TIFF	
Processor speed	400MHZ	
Memory Capacity	128MB	
Paper handling		
Paper Sizes	Cassette 1	A3, B4, A4R, A4, B5R, B5, A5R
	Cassette 2 (Optional)	A3, B4, A4R, A4, B5R, B5, A5R
	Bypass Tray	A3, B4, A4R, A4, B5R, B5, A5R, Envelope (COM 10, Monarch, ISO-C5, DL)
Acceptable Originals	Sheet, Book, and Three dimensional objects (up to 2kg)	
Available Paper	Drawer	Weight: 64 to 90gsm Type: Plain, Recycled, Color (64 to 80gsm), Bond (75 to 90gsm)
	Bypass Tray	Weight: 64 to 128gsm Type: Plain, Recycled, Color (64 to 80gsm), Bond (75 to 90gsm), Heavy Paper 1 (91 to 105gsm), Heavy Paper 2 (106 to 128gsm), Transparencies, Labels, Envelopes
Paper Capacity	Cassette 1	250 sheets (80gsm)
	Cassette 2 (Optional)	250 sheets (80gsm)
	Bypass Tray	80 sheets (80gsm)

Connectivity		
Interface	Network	Ethernet 100BASE-TX / 10BASE-T
	Others	USB 1.1 / 2.0
Network Protocol	TCP/IP v4/v6	
General Specifications		
Power Consumption	Sleep	2.0W or less
	Maximum	1.5kW or less
Power Supply	220 - 240V AC, 50 / 60Hz	
Toner Yield	Approx. 10,200 sheets (A4, 6% coverage)	
Drum Yield	Approx. 61,700 sheets	
Dimensions (W x D x H)	622 x 589 x 607mm (with ADF)	
Weight	Approx. 35.5kg (with ADF)	
Installation Space (W x D)	921 x 589mm (when the Bypass Tray is extended)	
Department ID Management	Up to 100 departments	
Optional Accessories		
Duplex Automatic Document Feeder – AM1		
Type	Automatic Document Feeder	
Size of Originals	A3, B4, A4, A4R, B5, B5R, A5, A5R	
Paper Weight	When continuously scanning originals: 52 to 105gsm When scanning a single original: 37 to 128gsm	
Max. Number of Originals	50 sheets (80gsm)	
Scanning Speed (Max)	Copying (A4 in Black-and-White at 600dpi)	1-sided scanning: 20ipm 2-sided scanning: 8ipm
	Scanning	1-sided scanning: 23.4ipm (A4 in B / W at 300dpi) 12ipm (A4 in Color at 300dpi) 2-sided scanning: 8ipm (A4 in B / W at 300dpi) 4ipm (A4 in Color at 300dpi)
Dimensions (W x D x H)	565 x 520.5 x 126mm	
Weight	7.0kg	
Cassette Unit – AB1		
Paper Sizes	A3, B4, A4, A4-R, B5, B5-R, A5-R	
Paper Capacity	250 sheets (80gsm)	
Power Source	From main unit	
Dimensions (W x D x H)	579 x 575 x 116mm	
Weight	Approx. 5.75kg	
Other Optional Accessories	Duplex Unit-C1, Platen Cover Type T, FL Cassette-AU1, Heater Kit-M1, Cassette Heater Unit-30, iR Pedestal Type M	